
AD-R162 900

ELF (EXTREMELY LOW FREQUENCY) BIOLOGICAL EFFECTS
LITERATURE DATA BASE HANAGEMENT SYSTEM(U) 11T RESEARCH
INST CHICAGO IL J J ENGLISH ET AL. OCT 85
LITRI-E06549-20 N00039-84-C-0070 F/G 9/2 NL

END
TAMES
TOTAL
TO



NATIONAL BUREAU OF STANDARDS MICROCOPY RESOLUTION TEST CHART

4D-A162 900

Technical Report E06549-20 Contract No. N00039-84-C-0070



R

ELF BIOLOGICAL EFFECTS LITERATURE DATA BASE MANAGEMENT SYSTEM

John J. English Linda M. Kudia

October 1985

Prepared for:

Communications Systems Project Office Space and Naval Warfare Systems Command Washington, D.C. 20363

Prepared by:

IIT Research Institute 10 W. 35th Street Chicago, Illinois 60616



This document has been approved for public release and sale; its distribution is unlimited.

Printed in the United States of America

This report is available from:

National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, Virginia 22161

| 39 272 - 101 | | | | |
|--|--|--|--|--|
| REPORT DOCUMENTATION 1. REPORT NO. AD-A162 900 | 3. Recipient's Accession No. | | | |
| 4. Title and Subtitle ELF Biological Effects Literature Data Base Management System | S. Report Date October 1985 | | | |
| 11+M1 | E06549-20 | | | |
| 7. Author(s) J. J. English and L. M. Kudia | 8. Performing Organization Rept. No. | | | |
| 9. Performing Organization Name and Address IIT Research Institute | 38. Project/Tesk/Work Unit No. | | | |
| 10 West 35th Street Chicago, Illinois 60616 | 21. Contract(C) or Grant(G) No. (C) N00039-84-C-0070 | | | |
| | (G) | | | |
| 12. Sponsoring Organization Name and Address | 13. Type of Report & Period Covered | | | |
| Space and Naval Warfare Systems Command PME 110E | Task Final Report | | | |
| Washington D.C. 20363 | 5/1/85-10/31/85 | | | |

16. Abstract (Limit: 200 words)

This report describes the functions and operation of the ELF biological effects literature data base management system. It covers functional requirements, system implementation, data base description, system operations, and detailed procedures. The system utilizes an IBM PC/XT computer and dBASE-III software.

17. Document Analysis e. Descriptors

Extremely Low Frequency Biological Effects Data Base

b. Identifiers/Open-Ended Terms

ELF Communications System

E. COSATI Field/Group Data Base Management System

18. Availability Statemen:

19. Security Class (This Report)
Unclassified

Unlimited

21. No. of Pages
Unclassified

40

22. Price
Unclassified

10.00

(See ANSI-239.18)

See Instructions on Reverse

OPTIONAL FORM 272 (4-77) (Formerly NTIS-35) Department of Commerce

FOREWORD

This document (IITRI No. E06549-20) was prepared for the Space and Naval Warfare Systems Command under Contract N00039-84-C-0070. It describes the functions and operation of a computerized literature data base that was developed in conjunction with the establishment of an ELF biological effects library. A description of the library itself and a bibliographic record of its present contents are covered in a companion report (IITRI No. E06549-21).

Respectfully submitted, IIT RESEARCH INSTITUTE

John J. English Task Manager

Linda M. Kudia Staff Engineer

Approved

Kalph D. Carlson Program Manager

Anthony R. Valentino (

Director

Electromagnetics Department

CRASI D

403

ALITY

IIT RESEARCH INSTITUTE

iii

IITRI E06549-20

CONTENTS

| | <u>!</u> | Page | | | | | |
|--------------------------|---|--------------------------|--|--|--|--|--|
| Forewor | rdi | iii | | | | | |
| 1. PUF | RPOSE | 1 | | | | | |
| 2. FUI | NCTIONAL REQUIREMENTS | 1 | | | | | |
| 3. SYS | STEM IMPLEMENTATION | 2 | | | | | |
| 3.1 3.2 | | | | | | | |
| 4. DA1 | TA BASE DESCRIPTION | 4 | | | | | |
| 4.1 4.2 4.3 | 2 Field Structure | 4 | | | | | |
| 5. SY | STEM OPERATIONS | .10 | | | | | |
| 5.2 5.2 5.3 | 2 System Start-Up | .10 | | | | | |
| | 5.2.1 Data Entry Mode (Option 5). 5.2.2 Report Generation (Options 2 and 3). 5.2.3 Display Records (Option 4). 5.2.4 Select Records. 5.2.5 Editing. 5.2.6 Special Operations. | .12 .16 .16 .16 | | | | | |
| 6. DE | TAILED PROCEDURES | .18 | | | | | |
| 6.1 6.2 6.4 6.4 | Main Menu | .19 .19 .20 .21 | | | | | |
| 7. CO | | | | | | | |
| Appendi | ix A. ELF Data Base Command Card | | | | | | |
| Appendi | ix B. Command Program Listings | | | | | | |

LIST OF FIGURES

| | | <u>Page</u> |
|----|---|-------------|
| 1 | Standard Report Format with Fields Indicated | 5 |
| 2 | Sample Standard Report | 6 |
| 3 | Summary Report Format and Sample | 7 |
| 4 | ELF Biological Effects Literature Data Base Management Flow Diagram | 9 |
| 5 | ELF Data Base Main Menu | 11 |
| 6 | Data Entry Screen No. 1 | 13 |
| 7 | Data Entry Screen No. 2 | 14 |
| 8 | Data Entry Screen No. 3 | 15 |
| Q. | Search Selection Menu | 17 |

1. PURPOSE

The purpose of the ELF Biological Effects Literature Data Base Management System is to store bibliographic information related to published documents on the subject and provide an automated, rapid response retrieval system for use by interested parties.

2. FUNCTIONAL REQUIREMENTS

- Store bibliographic information on ELF biological effects
- Provide reports:
 - Standard report of the current information in any selected record
 - Summary report (file number, author, date, language, subject category, and title).
- Provide sorting and selection feature for reports and displays.
- Provide appropriate back-up data protection.
- Provide menu-driven functions for:
 - Data entry
 - Report generation
 - Sorting and selection features
 - Data display.

3. SYSTEM IMPLEMENTATION

3.1 HARDWARE

The system utilizes an IBM PC XT, a video monitor, and a dot matrix printer (EPSON FX-100). In general, the hardware requirements for the dBASE III software are:

- An 8086 or 8088 based microprocessor system (such as the IBM PC, NEC APC, etc.) with CP/M-86 or MSDOS operating systems
- 256K bytes minimum of memory
- One or more mass storage devices (usually floppy or hard disk drives)
- A cursor-addressable CRT if full-screen operations are to be used
- An optional text printer (for some commands).

3.2 SOFTWARE

The data base uses Ashton-Tate dBASE III Software. dBASE III is a data base management tool that allows easy manipulation of small- and medium-sized data bases using English-like commands. dBASE III can:

- Create complete data base systems
- Easily add, delete, edit, display, and print data from a data base, with a minimum of data duplication on file
- Gain a large measure of program/data independence so that when data are changed, programs are not changed, and viceversa
- Generate reports from one or more data bases and automatically do multiplication, division, subtotals, totals, and other data manipulation
- Use full-screen editing capability to set up a screen format.

Some dBASE III specifications of interest to this application:

Records per data base file: 109
Characters per record: 4000
Fields per record: 128
Characters per field: 254 maximum.

In addition, the dBASE III Screen Editor is used to generate report and display formats. Screen Editor is a program to simplify screen displays and report formats for dBASE III. Screen Editor automatically generates dBASE III command files from the screen displays created by the user on a monitor with Screen Editor in the format mode.

4. DATA BASE DESCRIPTION

4.1 DATA REQUIREMENTS

In general, the data required to accomplish the ELF data base management system functions include:

- Publication data--author, title, date, language, etc.
- Keywords--subject categories, endpoints, and species
- ELF library index number.

Fifty-two fields of information have been defined. The standard report format, with the width of data fields indicated by X's, is illustrated in Figure 1. A sample report is illustrated in Figure 2, and a summary report sample, which displays 12 records on an 11 x 17 in. page, is illustrated in Figure 3.

4.2 FIELD STRUCTURE

The name of the data base primary file is ELFS. The ELFS field structure is given in Table 1, which shows the field number, field name, width, and description for each field.

4.3 SYSTEM DESIGN

The design of the data base system is illustrated in Figure 4, which shows a data flow diagram for the ELF data base management system. There are three basic inputs: field definition, input data, and display and report requirements. The dBASE III program generates the ELFS file (ELFS.DBF) and provides data storage and manipulation. In addition, programs are written by the user for display and report command files. The Screen Editor is used to generate format files for displays and reports that act as subprograms in the user-generated programs. These program command files generate the displays and reports with data transferred from the data base file. Special file names are given to data base and command files by dBASE III. These are automatic extensions to the name of the file given by the user. A data base file has the extension (.DBF) and a command file has the extension (.PRG).

| ********* | ** | LANGUAGE: | LANGUAGE: XXXXXXXXXXXXXXX | ABSTRACT: XXXXX | ABSTRACT: MENERALMENTERMENTER | INDEX NUMBER: XXXXXXXXXX | HHERITALE | |
|-----------|--|---|--|--|--|---|--|--|
| | ateleetitititititi :texeletitititi | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx | erene er | *************************************** | en e | I I X X X X X X X X X X X X X X X X X X | HTTTTTTTTTTTT : TIXXIXXIXXIXXIXXIXIIIIIIIIIIIIIIIII | |
| | | | END | END POINTS | | | SPECIES | |
| , = | HINNINGHAMANANANANANANANANANANANANANANANANANANA | TAXABARARA TA | | | | *********** | | |
| = | HINKSHAMMAN IN | ARTH KRIKKKKKKKKKKKKKKKKKKKKKKKKKK | _ | I T I I I I I I I I I I I I I I I I I I | HERRY HANDERS | IXXXXXXX | HINIMARKANIA | |
| = | NIECTERNIEUTHERNEUTHERNIEUTH | (XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | _ | I RECECCIONE DE LE CONTRERENCIONE DE LA CONTREPENCIONE DE LA CONTRERENCIONE DE LA CONTREPERCIONE DE LA CONTRERENCIONE DE LA CONTRERENCI | X I I X X X X X X X X X X X X X X X X X | IXXXXXXXX | KHIRIHKKHIKKKI | |
| = | HERRICAL CONTRACTOR CO | (XIXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | _ | I E E E E E E E E E E E E E E E E E E E | ATTERNATIONAL PROPERTIES AND | IXXXXXXXI | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | |
| = | Herring the standertherrester | (XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | _ | I HE EX SERVICE SERVICE SERVICES SERVIC | HARRING HARRIN | IXXXXXXX | HIRRIGHTHAN | |
| | RITTELLE RELEGIES EL SELETER EL S | TITLITICAL STREET | | I K H H H H H H H H H H H H H H H H H H | IXEXXECTRICITATIONS | HANNING | HIPPERSTREET | |
| | RECENTARIA | I I I Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y | _ | HERECTER STREETS STREE | HERETTERS THE STREET STREET | IXIXIXIX | RETERESTRICE | |
| | RENTERESTREES OF THE SERVICE OF THE | THE PRICE BY | | I H H H H H H H H H H H H H H H H H H H | HEREFERIE CHERTERE CHERTERE | THEFT | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | |
| | HITTHER THE TRANSPORT THE TRANSPORT | THE TREETS OF | _ | I K K K K K K K K K K K K K K K K K K K | HANNAN HANDAN KANAN KANA | IXXXXXXX | KHEKKHEKKHEKKE | |
| | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | HAMMANAMAN | | IXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | IXXXXXXX | HININGHAMAN HANDAN HAND | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

ELF BIOLOGICAL EFFECIS LITERATURE DATABASE

I

ě

DATE 10/01/85

FIGURE 1. STANDARD REPORT FORMAT WITH FIELDS INDICATED.

ATT CENTERFERENCE AND THE CHARLES HERRITAL STREET, STREE THE EXPLICATION OF THE PROPERTY OF THE PROPERT

KIRCECKKEREKEREKEREKEREKEREKE

SURJECT CATEBORIES

SOURCE: INVIDITABILITATION IN THE STATE OF T

FUBLICATION DATE: XXXXXXXXXX

| PAGE 1 | ELF BIOLOGICAL EFFECTS LITERATURE DATABASE | IRE DATABASE | DATE 09/06/85 |
|--|--|--------------|---------------------------------------|
| AUTHORIS): ADEY,W.R. BAMIN, S.M. | | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| TITLE: BRAIN INTERACTIONS WITH WEAK ELECTRIC AND MAGMETIC FIELDS | MAGNETIC FIELDS | | |
| PUBLICATION DATE: JANUARY 1977 | LANGUAGE: | ABS1RAC1: | INDEX NUMBER: 77005 |
| SDURCE: WFURDSCIEMCES RESEARCH PROGRAM BULLETIN, VOL. 15, NO.1 | , VOL. 15, NO.1 | | |

| SUBJECT CATEGORIES | | END POINTS | |
|--|---|--|--|
| AC ELECTRIC FIELDS UNCONVENTIONAL ELECTRIC FIELDS AINOSPHERIC ELECTRIC FIELDS BEDHAGNETIC FIELDS | BEHAVIOR BRAIN SYSTEM CALCIUM EFFLUX CELL COMMUNICATIONS CIRCOROSENSTITVITY FIELD EQUATIONS MECHANISNS MODULATION | BRAN IOR BRAIN SYSTEM CALCIUM EFFLUX CELL COMMUNICATIONS CELC COMMUNICATIONS ELECTROSENSITIVITY FLECTROSENSITIVITY MECHANISMS MECHANISMS MECHANISMS MECHANISMS | AVIANS CAIS DOMESTIC FOM. FISH HUMANS PRIMATES |
| AUTHOR(S): ADEY, M.R. BAMIN, S.M. SAGAN, P.M. | A. SAGDA, P.A. | AUTHOR(S): ADEY, W.R. BRWIN, S.M. SAGAN, P.M. | |
| IITLE: EFFECTS OF 60 HZ ENVIRONME | IIILE: EFFECIS OF 60 HZ ENVIRONMENTAL ELECTRIC FIELDS ON THE HAMMALIAN CENTRAL NERVOUS SYSTEM | I CENTRAL NERVOUS SYSTEM | |
| PUBLICATION DATE: 3 APRIL 1979 | LANGUAGE: | ABSTRACT: | INDEX NUMBER: 79002 |
| SOURCE: FINAL REPORT TO OFFICE OF | SOURCE: FINAL REPORT TO OFFICE OF MAYAL RESEARCH BY VA MEDICAL CENTER LOMA LINDA | LOMA LINDA | |

SPECIES SPECIES SMALL MANNALS

END POINTS

BEHAVIOR BIOCHENISTRY FOOD/WATER INTAKE FATHOLOGY

SUBJECT CATEGORIES
AC ELECTRIC FIELDS

FIGURE 2. SAMPLE STANDARD REPORT.

ELF LIBORAY WARER: INTIDITIES
ANTONE INTERNITIONAL DES TREATMENT OF THE PROPERTY OF THE PROPER DATE 10/01/85 ELF BIDLOGICAL EFFECTS LITERATURE DATABASE SUMMARY LANGUAGE: DATE: December 1979 ITLE: Meurophysicilogical Effects of Radiofrequency and Microwave Radiation ELF LIBRARY NUMBER: 79009

Ė


FIGURE 3. SUMMARY REPORT SAMPLE RECORD (a) AND SAMPLE RECORD WITH FIELD LENGTHS INDICATED (b).

ف

TABLE 1. ELF BIOLOGICAL EFFECTS LITERATURE DATA BASE FIELD DEFINITIONS

| Field | Name | Width | Description |
|-------|-------------------------|-------|------------------------------|
| 1-5 | SUBCAT1, -2, -3, -4, -5 | 30 | Subcategories 1 through 5 |
| 6 | ELFNUM | 10 | ELF library number |
| 7 | TITLE | 225 | Title |
| 8 | AUTHOR | 220 | Author(s) |
| 9 | DATE | 20 | Date of publication |
| 10 | SOURCE | 225 | Source |
| 11 | LANG | 16 | Language |
| 12 | ABS1 | 8 | Abstract on file |
| 13-22 | SPEC1, -2, -3,10 | 20 | Species fields 1 through 10 |
| 23-52 | ENDPT1, -2, -3,30 | 30 | Endpoint fields 1 through 30 |

Note: All fields are character fields.



Ė

FIGURE 4. ELF BIOLOGICAL EFFECTS LITERATURE DATA BASE MANAGEMENT FLOW DIAGRAM.

5. SYSTEM OPERATIONS

5.1 BASIC OPERATIONS

The basic operations of the system are:

- System start-up
- Data entry
- Screen display
- Report generation
- Record selection for displays or reports
- Editing.

5.2 SYSTEM START-UP

The dBASE III, Screen Editor, and ELF data base programs are stored on the IBM PC XT hard disk in a directory called DBASE3. The directory is accessed by using the operating system to change to that directory. This is followed by giving the command dBASE. The dBASE prompt (.) will then be given. This means that dBASE is ready to receive an instruction.

5.3 ELF DATA BASE OPERATIONS

For normal operations a command program called ELF (ELF.PRG) is utilized for data entry, displays, and report generation. This program is accessed by giving dBASE a command (**DO ELF**). The screen display (data base menu) illustrated in Figure 5 will appear on the monitor. The menu choices are:

| (0) | Return | to | System | P | Returns | to | DOS | in | the | DBASE3 |
|-----|--------|----|--------|---|----------|-----|-----|----|-----|--------|
| | | | | |)irecto: | ry. | | | | |

- (1) Return to dBASE Exits from the ELF command program and returns to dBASE.
- (2) Print Summary Report Prints selected records in the
 - summary report format, on 11 x 17-in. paper with condensed print.
- (3) Print Standard Report

 Prints selected records in the summary report format on 8-1/2 x 11-in. paper with condensed print.

ELF BIOLOGICAL EFFECTS LITERATURE DATABASE MENU

O = RETURN TO SYSTEM

1 = RETURN TO dBASE

2 = PRINT SUMMARY REPORT

3 = PRINT STANDARD REPORT

4 = DISPLAY RECORDS

5 = ADD DATA

CHOOSE OFTION AND ENTER NUMBER

FIGURE 5. ELF DATA BASE MAIN MENU.

(4) Display Records

Displays selected records on the

(5) Add Data

Initiates data entry mode for new records.

The option selected is entered by striking the appropriate number key and the return key.

5.2.1 Data Entry Mode (Option 5)

When Option 5 is selected, the monitor will display the following message:

TYPE S TO STOP DATA ENTRY PRESS ANY KEY TO CONTINUE...

This message will be followed by three successive data entry screens (see Figures 6, 7, and 8), on which the X's indicate field widths. Data are entered in sequence. On any data entry screen, transfer from one field to the next is accomplished by striking the return key. Transfer from one data entry screen to the next may be accomplished at any point by striking (CTRL-W).

5.2.2 Report Generation (Options 2 and 3)

When either Option 2 or Option 3 is selected, the monitor will display the following message:

DO YOU WANT TO SELECT RECORDS (Y OR N)

If the user strikes N, he will be instructed to:

ENTER FILE NAME TO BE USED

Normally, the user would enter ELFS, but he may enter a secondary file that has been derived from ELFS by sorting or other means. He will then be given the message:

READY PRINTER. HIT SPACE BAR TO PRINT. PRESS ANY KEY TO CONTINUE...

LANGUAGE: XXXXXXXXXXXXXX ABSTRACT: XXXXXXXXXXXXXXXXXX INDEX #: XXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX ******* ENTER PUBLICATION DATE: XXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXX SUBJECT CATEGORIES: uT) ENTER AUTHOR: ENTER SOURCE: TITLE: <u>u</u> ENTER

FIGURE 6. DATA ENTRY SCREEN NO. 1.

XXXXXXXXXXXXXXXXXXXXXXXXXXXXX

FIGURE 7. DATA ENTRY SCREEN NO. 2.

********* ******* XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX ************ XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX xxxxxxxxxxxxxxxxxxxxxxxxx XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX ********** ***** ***** XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX xxxxxxxxxxxxxxxxxxxxxxxxxxxx xxxxxxxxxxxxxxxxxxxxxxxxxxxxx ********* XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX ENTER UP TO GO END POINTS:

ENTER UP TO 10 SPECIES:

FIGURE 8. DATA ENTRY SCREEN NO. 3.

The requested reports will be printed once the space bar has been struck.

If the user hits Y, he will be transferred to the selection procedure described in Section 5.2.4.

5.2.3 Display Records (Option 4)

When Option 4 is chosen, the user will be prompted as in Section 5.2.2, except that the records will be successively displayed on the monitor rather than printed.

5.2.4 Select Records

If Options 2, 3, or 4 are chosen, the user may select records from ELFS and generate a secondary data base that contains the selected records. If the user responds Y to the prompt DO YOU WANT TO SELECT RECORDS (Y OR N), the selection menu (see Figure 9) will be displayed. The user may search in six different categories.

5.2.5 Editing

Record editing is accomplished utilizing the normal dBASE III edit command.

5.2.6 Special Operations

There is one special operation that will normally be utilized, backing up the ELFS data base file on floppy disks. Back-up floppy disk storage is provided by utilizing the dBASE III COPY command to create temporary files containing 100 records and using these files to copy from the hard disk to the floppy disks. Storing 100 records on a floppy disk utilizes approximately 70% of the space available on the disk.

Other special operations may be performed utilizing the full power of the dBASE III command set. Examples of these would be creating secondary data bases, such as one sorted alphabetically by author or numerically by ELF library number.

The specific procedures for these operations are given in Section 6.

*** SEARCH CATEGORIES ***

1 = INDEX NUMBER

2 = AUTHOR

3 = SUBJECT CATEGORY

4 = TITLE

5 = SPECIES - KEY WORDS

6 ≈ END FOINT - KEY WORDS

SELECT ONE SEARCH CATEGORY AT A TIME

ENTER THE NUMBER OF THE SEARCH CATEGORY

FIGURE 9. SEARCH SELECTION MENU.

6. DETAILED PROCEDURES

6.1 SYSTEM START-UP

The system should be booted-up with the hard disk as the default drive. Upon receipt of the system prompt:

C>

enter the change directory command.

C>CD\DBASE3

Call up DBASE III by entering

C>DBASE

and the following will appear on the screen

dBASE III Version 1.10 IBM/MS DOS***

followed by the copyright statement

Copyright (C) 1984, Ashton-Tate Inc. (etc.)

and the DBASE prompt

IIT RESEARCH INSTITUTE

18

IITRI E06549-20

The period is the dBASE III prompt. It means that dBASE is ready to accept commands. If problems are encountered and the user wants to stop whatever dBASE III is doing, the escape key will return the system to the dBASE III prompt.

6.2 MAIN MENU

In response to the dBASE prompt

enter

DO ELF

and follow the menu instructions from there.

6.3 EDITING

This is accomplished by selecting the data base file to be edited, normally ELFS, by giving the following commands in response to the dBASE prompt:

Select data base to edit:

. USE ELFS

Select Record to Edit:

. EDIT N

where N is the record number. The editing mode is exited by striking

CRTL-W

6.4 MAIN DATA BASE FILE BACK-UP PROCEDURE

The back-up procedure copies records, in groups of 100, to floppy disks on Drive A. A temporary file is created on the hard disk (Drive C) and then copied to Drive A. In general, while in DBASE, issue the following commands:

- . USE ELFS
- . COPY TO TEMPX FOR RECNO()>N.AND.RECNO()<=M

For x = 1, 2, 3, etc., the back-up floppy disks

N = beginning record #

M = ending record #

If the file already exists, the following message will be displayed:

TEMPX.DBF already exists, overwrite it? (Y/N)

Strike Y and dBASE will then create a secondary file containing 100 records. Then exit dBASE by giving the command:

. QUIT

Check to see if the temporary file is on C:

C>DIR

The file should be listed in the directory display.

Place a disk in A and give the DOS command

C>COPY TEMPX.DBF A:

This will copy the file to the A disk.

Check to see if the back-up file is on A:

CDIR A:

For example, to create three temporary files, issue the following commands:

- . USE ELFS
- . COPY TO TEMP1 FOR RECNO()<=100
- . COPY TO TEMP2 FOR RECNO()>100.AND.RECNO()<=200
- . COPY TO TEMP3 FOR RECNO()>200.AND.RECNO()<=300
- . QUIT

Follow this by the copy procedure to disk A.

6.5 FINDING A RECORD BY INDEX NUMBER

- . USE ELFS
- . DISPLAY RECNO() FOR ELFNUM + ######

6.6 SORTING ALPHABETICALLY

- . USE ELFS
- . SORT TO AUTHTEMP ON AUTHOR

A new file, AUTHTEMP, will be created in alphabetical order by author.

7. COMMAND PROGRAMS

A series of command programs has been prepared to provide dBASE III control of the primary data base functions. These programs are listed below; printouts of the complete command (.PRG) programs are given in Appendix B.

| File Name | Function |
|-------------|-------------------------|
| ELFS.DBF | Primary data base file |
| ELF.PRG | Main menu |
| ELFSEL.PRG | Sort selection menu |
| ELFDATA.PRG | Data entry program |
| ELFSUM.PRG | Prints summary report |
| ELFSTAN.PRG | Prints standard reports |
| ELFDISP.PRG | Displays records |
| | |

APPENDIX A ELF DATA BASE MANAGEMENT SYSTEM COMMAND CARD

ELF DATA BASE COMMAND CARD

SYSTEM START-UP and EXIT

Change directories

C>CD\DBASE3

Call up dBASE III

C>DBASE

Select a data base file

. USE FILENAME

Select a record

. GOTO N (N is record number)

Exit dBASE III

. QUIT

DATA BASE COMMANDS

ELF data base menu

. DO ELF

Edit

USE ELFSEDIT N(N is record number)

Delete a record

. DELETE N . PACK

(N is record number)

SPECIAL FUNCTIONS

Back-up Procedure

- . USE ELFS
- , COPY TO TEMPX FOR RECNO()>N.AND RECNO()<=M
- , QUIT


C>COPY TEMPX.DBF A:

Find a record

- . USE ELFS
- . DISPLAY RECNO() FOR ELFNUM + ######

Sort alphabetically

- . USE ELFS
- . SORT TO AUTHTEMP ON AUTHOR



ELF.PRG MAIN MENU (page 1 of 2)

```
* ELF.PRG
            This is the main menu for the ELF LITERATURE
*DATABASE.
* 7/9/85
           1 mk
DO WHILE .T.
CLEAR
SET TALK OFF
SET ECHO OFF
211
                        ELF BIOLOGICAL EFFECTS LITERATURE"
\mathfrak{D}^{(0)}
                                   DATABASE MENU"
2
ņ
?
\sim 10
                              O = RETURN TO SYSTEM"
                              1 = RETURN TO dBASE"
                              2 = PRINT SUMMARY REPORT"
711
                              3 = PRINT STANDARD REPORT"
                              4 = DISPLAY RECORDS"
                              5 = ADD DATA"
ACCEPT "CHOOSE OFTION AND ENTER NUMBER " TO CHOICE
IF CHOICE="0"
QUIT
ENDIF
IF CHOICE="1"
RETURN
ENDIF
IF CHOICE="2".OR.CHOICE="3".OR.CHOICE="4"
 CLEAR
 ACCEPT "DO YOU WANT TO SELECT RECORDS ( Y or N) " TO SEARCH
 IF SEARCH="N".OR.SEARCH="n"
  ACCEPT "ENTER FILE NAME TO BE USED " TO NAME
  USE &NAME
 ENDIF
IF SEARCH="Y".OR.SEARCH="y"
 DO ELFSEL
 IF RECNO()>1
  GO TOP
  DO WHILE .NOT.EOF()
  STORE elfnum TO CHECK
  SKIP
  IF elfnum='&CHECK'
  DELETE
  ENDIF
ENDDO
FACK
GO BOTTOM
                         IIT RESEARCH INSTITUTE
```

B-1

ELF.PRG MAIN MENU (page 2 of 2)

```
ENDIF
ENDIF
IF title>' '.OR.elfnum>' '.OR.SEARCH="N".OR.SEARCH="n"
IF CHOICE="2"
DO ELFSUM
ENDIF
IF CHOICE="3"
DO ELFSTAN
ENDIF
IF CHOICE="4"
DO ELFDISF
ENDIF
IF FILE('&FILE..DBF')=.T.
ACCEPT "DO YOU WANT TO SAVE THE FILE WHICH CONTAINS THE SELECTED
RECORDS (Y or N) " TO SAVE
 IF SAVE="Y".DR.SAVE="y"
 CLOSE DATABASES
ELSE
 CLOSE DATABASES
ERASE &FILE..DBF
ENDIF
ENDIF
ENDIF
ENDIF
IF CHOICE="5"
USE ELFS
DO ELFDATA
ENDIF
ENDDO
ENDDO
```

ELFSEL.PRG SORT SELECTION PROGRAM (page 1 of 4)

```
* ELFSEL.PRG
                This program allows the user to perform searches.
STORE " " TO LOGIC
STORE "ELFS" TO NAME
ACCEPT "FILE NAME TO STORE THE SELECTED RECORDS IN.
                                                         " TO
DO WHILE SEARCH="Y".OR.SEARCH="y"
CLEAR
USE &NAME
?
?
?
7"
                          *** SEARCH CATEGORIES ***"
?
?
                           1 = INDEX NUMBER"
\supset 0
                           2 = AUTHOR"
7^{n}
                           3 = SUBJECT CATEGORY"
?"
                           4 = TITLE"
7"
                           5 = SPECIES - KEY WORDS"
                           6 = END POINT - KEY WORDS"
?
?
711
                    SELECT ONE SEARCH CATEGORY AT A TIME"
ACCEPT "ENTER THE NUMBER OF THE SEARCH CATEGORY " TO NUM
COPY STRUCTURE TO TEMP FIELDS ELFNUM
USE TEMP
APPEND
SELECT A
USE TEMP
SELECT P
USE &NAME
JOIN WITH TEMP TO TEMP1 FOR ELFNUM=TEMP->ELFNUM
CLOSE DATABASES
USE TEMP1
IF FILE("TEMP2.DBF")= .T.
ERASE TEMP2.DBF
ENDIF
ERASE TEMP. DBF
ENDIF
IF NUM≈"2"
CLEAR
ACCEPT "ENTER AUTHOR'S NAME : " TO A
COPY STRUCTURE TO TEMP
                         IIT RESEARCH INSTITUTE
USE TEMP
```

ELFSEL.PRG SORT SELECTION PROGRAM (page 2 of 4)

```
APPEND FROM &NAME FOR A#author
USE
RENAME TEMP. DBF TO TEMP1. DBF
USE TEMP1
ACCEPT "DO YOU WANT TO ENTER ANOTHER AUTHOR'S NAME ( Y or N )
DO WHILE PICK="Y".OR.PICK="V"
CLEAR
ACCEPT "ENTER AUTHOR'S NAME :
                                 " TO A
APPEND FROM &NAME FOR Asauthor
ACCEPT "DO YOU WANT TO ENTER ANOTHER AUTHOR'S NAME ( Y or N)
" TO PICK
ENDDO
ENDIF
IF NUM≈"3"
COPY STRUCTURE TO TEMP FIELDS SUBCATI
SELECT B
USE TEMP
AFFEND
SELECT A
USE &NAME
JOIN WITH TEMP TO TEMP1 FOR
SUBCAT1=B->SUBCAT1.OR.SUBCAT2=B->SUBCAT1.OR.SUBCAT3=B->SUBCAT1
CLOSE DATABASES
USE TEMP1
ERASE TEMP. DBF
IF FILE("TEMP2.DBF") .T.
ERASE TEMP2
ENDIF
ENDIF
IF NUM="4"
CLEAR
ACCEPT "ENTER TITLE " TO A
COPY STRUCTURE TO TEMP
USE TEMP
APPEND FROM &NAME FOR Astitle
USE
RENAME TEMP. DBF TO TEMP1. DBF
USE TEMP1
ACCEPT "DO YOU WANT TO ENTER ANOTHER TITLE ( Y or N ) " TO
PICK
DO WHILE FICK="Y".OR.FICK="y"
CLEAR
ACCEPT "ENTER TITLE
                     " TO A
APPEND FROM &NAME FOR Astitle
```

B-4

ELFSEL.PRG SORT SELECTION PROGRAM (page 3 of 4)

```
ACCEPT "DO YOU WANT TO ENTER ANOTHER TITLE ( Y or N)
                                                         " TO
PICK
ENDDO
ENDIF
IF NUM="5"
COPY STRUCTURE TO TEMP FIELDS SPEC1
SELECT B
USE TEMP
APPEND
SELECT A
USE &NAME
JOIN WITH TEMP TO TEMP1 FOR SPEC1=B->SPEC1.OR.SPEC2=B->SPEC1
.OR.SPEC3=B->SPEC1.OR.SPEC4=B->SPEC1.OR.SPEC5=B->SPEC1
JOIN WITH TEMP TO T FOR SPEC6=B->SPEC1.OR.SPEC7=B->SPEC1.OR.
SPEC8=B->SPEC1.OR.SPEC9=B->SPEC1.OR.SPEC10=B->SPEC1
CLOSE DATABASES
USE TEMP1
  AFFEND FROM T
  ERASE TEMP.DBF
  ERASE T.DBF
  IF FILE("TEMP2.DBF")= .T.
   ERASE TEMP2.DBF
  ENDIF
 ENDIF
 IF NUM="6"
  COPY STRUCTURE TO TEMP FIELDS ENDPT1
  SELECT B
  USE TEMP
  AFFEND.
  SELECT A
  USE &NAME
  JOIN WITH TEMP TO TEMP1 FOR ENDPT1=B->ENDPT1 .OR.
ENDFT2=B->ENDFT1.OR.ENDFT3=B->ENDFT1.OR.ENDFT4=B->ENDFT1.OR.
ENDFT5=B->ENDFT1.OR.ENDFT6=B->ENDFT1.OR.ENDFT7=B->ENDFT1
 JOIN WITH TEMP TO T FOR ENDPT8=B->ENDPT1.OR.ENDPT9=B->ENDPT1
.OR.ENDFT10=B->ENDFT1.OR.ENDFT11=B->ENDFT1.OR.ENDFT12=B->ENDFT1
.OR.ENDFT13=B->ENDFT1.OR.ENDFT14=B->ENDFT1.OR.ENDFT15=B->ENDFT1
 JOIN WITH TEMP TO E FOR ENDFT16=B->ENDFT1.OR.ENDFT17=B->ENDFT1
.OR.ENDFT18=B->ENDFT1.OR.ENDFT19≃B->ENDFT1.OR.ENDFT20=B->ENDFT1
.OR.ENDFT21=B->ENDFT1.OR.ENDFT22≃B->ENDFT1.OR.ENDFT23=B->ENDFT1
 JOIN WITH TEMP TO F FOR ENDPT24=B->ENDPT1.OR.ENDPT25=B->ENDPT1
.OR.ENDFT26=B->ENDFT1.OR.ENDFT27=B->ENDFT1.OR.ENDFT28=B->ENDFT1
.OR.ENDPT29=B->ENDPT1.OR.ENDPT30≈B->ENDPT1
 CLOSE DATABASES
 USE TEMP1
 AFFEND FROM T
 APPEND FROM E
 AFFEND FROM F
 ERASE E.DBF
 ERASE F.DBF
                         IIT RESEARCH INSTITUTE
 ERASE TEMP. DBF
 ERASE T.DBF
                                                         IITRI E06549-20
                                 B-5
```

ELFSEL.PRG SORT SELECTION PROGRAM (page 4 of 4)

```
IF FILE("TEMP2.DBF") = .T.
   ERASE TEMP2.DBF
  ENDIF
ENDIF
CLEAR
IF LOGIC="OR".OR.LOGIC="or"
 APPEND FROM TEMP3
ERASE TEMP3.DBF
ENDIF
ACCEPT "DO YOU WANT TO SEARCH ANOTHER CATEGORY ? ( Y or N) " TO
SEARCH
IF SEARCH="Y".OR.SEARCH="y"
ACCEPT "WHICH TYPE OF LOGIC SHOULD BE USED (AND or OR) " TO
LOGIC
 IF LOGIC="AND".OR.LOGIC="and"
RENAME TEMP1.DBF TO TEMP2.DBF
 STORE "TEMP2" TO NAME
ENDIF
 IF LOGIC="OR".OR.LOGIC="or"
RENAME TEMP1.DBF TO TEMP3.DBF
 STORE 'ELFS' TO NAME
 ENDIF
ENDIF
ENDDO
USE TEMP1
IF FILE ("TEMP2.DBF") = .T.
ERASE TEMP2.DBF
ENDIF
GOTO ROTTOM
IF RECNO()=1
RENAME TEMP1.DBF TO &FILE..DBF
USE &FILE
ENDIF
IF RECNO()>1
SORT TO &FILE ON ELFNUM
USE &FILE
ERASE TEMP1.DBF
ENDIF
GO BOTTOM
IF title=' '.AND.elfnum='
CLEAR
@ 12,10 SAY "NO RECORDS MEET THE SPECIFIED CRITERIA."
WAIT TO continue
RETURN TO MASTER
ENDIF
                       IIT RESEARCH INSTITUTE
RETURN
```

ELFDATA.PRG DATA ENTRY PROGRAM (page 1 of 2)

```
* ELFDATA.FRG
SET TALK OFF
SET ECHO OFF
CLEAR
SET BELL OFF
@ 9,5 SAY "
                           TYPE S TO STOP DATA ENTRY"
@ 19,1 SAY "
WAIT TO continue
DD WHILE continue<>"S".AND.continue<>"s"
CLEAR
APPEND BLANK
@ 1,1 SAY "ENTER UP TO 5 SUBJECT CATEGORIES:"
@ 1,36 GET subcat1
@ 2,36 GET subcat2
@ 3,36 GET subcat3
@ 4,36 GET subcat4
@ 5.36 GET subcat5
@ 7,1 SAY "ENTER AUTHOR:"
@ 7,15 GET author
@ 12,1 SAY "ENTER TITLE:"
@ 12,14 GET title
@ 17,1 SAY "ENTER PUBLICATION DATE: "
@ 17,25 GET date
@ 19,1 SAY "LANGUAGE:"
@ 19,11 GET lang
@ 19,28 SAY "ABSTRACT:"
@ 19,37 GET abs1
@ 19,58 SAY "INDEX #:"
@ 19,67 GET elfnum
@ 21,1 SAY "ENTER SOURCE:"
@ 21,15 GET source
READ
CLEAR
@ 2,1 SAY "ENTER UP TO 30 END POINTS:"
@ 3,2 GET endpt1
@ 3,42 GET endpt2
@ 4,2 GET endpt3
@ 4,42 GET endpt4
@ 5.2 GET endpt5
@ 5,42 GET endpt6
@ 6,2 GET endpt7
@ 6,42 GET endpt8
@ 7,2 GET endpt9
@ 7,42 GET endpt10
@ 8,2 GET endpt11
```

IIT RESEARCH INSTITUTE

@ 8,42 GET endpt12

ELFDATA.PRG DATA ENTRY PROGRAM (page 2 of 2)

```
@ 9,2 GET endpt13
@ 9,42 GET endpt14
@ 10,2 GET endpt15
@ 10,42 GET endpt16
@ 11,2 GET endpt17
@ 11,42 GET endpt18
@ 12,2 GET endpt19
@ 12,42 GET endpt20
@ 13,2 GET endpt21
@ 13,42 GET endpt22
@ 14.2 GET endpt23
@ 14,42 GET endpt24
@ 15,2 GET endpt25
@ 15,42 GET endpt26
@ 16.2 GET endpt27
@ 16,42 GET endpt28
@ 17,2 GET endpt29
@ 17,42 GET endpt30
READ
CLEAR
@ 3,1 SAY "ENTER UP TO 10 SPECIES:"
@ 3,28 GET spec1
@ 4,28 GET spec2
@ 5,28 GET spec3
@ 6,28 GET spec4
@ 7,28 GET spec5
@ 8,28 GET spec6
@ 9,28 GET spec7
@ 10,28 GET spec8
@ 11,28 GET spec9
@ 12,28 GET spec10
READ
@ 20,5 SAY "
                      TYPE S TO STOP DATA ENTRY"
WAIT TO continue
ENDDO
```

RETURN

ELFSUM.PRG SUMMARY REPORT PROGRAM (page 1 of 2)

SET HEADING OFF SET SAFETY OFF * ELFSUM.FRG This program prints out the ELF database summary. * 07/01/85 1mk SET TALK OFF SET ECHO OFF CLEAR @ 0,1 SAY "READY PRINTER. HIT SPACE BAR TO PRINT." WAIT SET PRINT ON SET DEVICE TO PRINT ?? CHR(27)+'@' ?? CHR (27) + 1C 1+CHR (66) ?? CHR(27)+'0'+CHR(233) ?? CHR(15) STORE " 1 " TO FG GOTO TOP DO WHILE .NOT.EOF() STORE 2 TO C @ 0,1 SAY "FAGE" @ 0,7 SAY pg @ 0.86 SAY "ELF BIOLOGICAL EFFECTS LITERATURE DATABASE SUMMARY" @ 0,211 SAY "DATE" @ 0,216 SAY DTOC(date()) @ 1,1 SAY "-----@ 1,56 SAY "------@ 1,111 SAY "-----@ 1,166 SAY "-----@ 1,221 SAY "----" DO WHILE C<60 @ C,1 SAY "ELF LIBRARY NUMBER: " @ C,21 SAY elfnum @ C,62 SAY "DATE:" @ C,68 SAY date @ C.107 SAY "LANGUAGE:" @ C,117 SAY lang STORE C+1 TO C @ C,1 SAY "AUTHOR:" @ C.9 SAY author STORE C+1 TO C @ C,1 SAY "TITLE:" @ C.8 SAY title

ELFSUM.PRG SUMMARY REPORT PROGRAM (page 2 of 2)

| STORE C+1 TO C |
|----------------------------|
| @ C,1 SAY "" |
| @ C,1 SAY "" @ C,56 SAY "" |
| @ C.111 SAY "" |
| @ C,166 SAY "" |
| @ C,221 SAY "" |
| STORE C+1 TO C |
| SKIP |
| IF EOF() |
| EJECT |
| SET FRINT OFF |
| SET DEVICE TO SCREEN |
| RETURN |
| ENDIF |
| ENDDO |
| STORE VAL (PG) TO VALPG |
| STORE VALPG+1 TO VALPG |
| STORE STR(VALPG,5) TO PG |
| ENDDO . |
| EJECT |
| SET PRINT OFF |
| SET DEVICE TO SCREEN |
| RETURN |

ELFSTAN.PRG STANDARD REPORT PROGRAM (page 1 of 3)

| * ELFSTAN.PRG |
|---|
| SET ECHO OFF |
| SET TALK OFF |
| SET PRINT ON |
| SET DEVICE TO PRINT |
| ?? CHR(27)+'C'+CHR(51) |
| ?? CHR(27)+'Q'+CHR(166) |
| ?? CHR(15) |
| STORE " 1" TO PG |
| GOTO TOP |
| DO WHILE .NOT.EOF() |
| STORE 2 TO C |
| @ O,1 SAY "PAGE" |
| @ 0,7 SAY pg |
| @ 0,57 SAY "ELF BIOLOGICAL EFFECTS LITERATURE DATABASE" |
| @ 0,149 SAY "DATE" |
| @ 0,155 SAY date() |
| 6 1 1 SAV "" |
| @ 1,1 SAY "" @ 1,56 SAY "" @ 1,111 SAY "" |
| 6 1 111 CΔV "" |
| DO WHILE CK30 |
| @ C,1 SAY "AUTHOR(S):" |
| @ C,12 SAY author |
| STORE C+1 TO C |
| @ C,1 SAY "TITLE:" |
| @ C.8 SAY title |
| STORE C+1 TO C |
| @ C,1 SAY "PUBLICATION DATE:" |
| @ C,19 SAY date |
| @ C,55 SAY "LANGUAGE:" |
| @ C,65 SAY lang |
| @ C,90 SAY "ABSTRACT:" |
| @ C.100 SAY absi |
| @ C,128 SAY "INDEX NUMBER:" |
| @ C,142 SAY elfnum |
| |
| STORE C+2 TO C @ C,1 SAY "SOURCE:" |
| |
| @ C,9 SAY source |
| STORE C+1 TO C |
| @ C.7 SAY "SUBJECT CATEGORIES" |
| @ C,B1 SAY "END POINTS" |
| @ C,149 SAY "SPECIES" |
| STORE C+1 TO C |
| @ C,1 SAY "" |
| © C 111 CAV II. |
| @ C,56 SAY "" @ C,111 SAY "" STORE C+1 TO C |
| 25 (LINCE L. + |

IIT RESEARCH INSTITUTE

ELFSTAN.PRG STANDARD REPORT PROGRAM (page 2 of 3)

@ C,2 SAY subcat1 @ C,36 SAY endpt1 @ C,72 SAY endpt11 @ C,106 SAY endpt21 @ C,143 SAY spec1 STORE C+1 TO C @ C,2 SAY subcat2 @ C.36 SAY endpt2 @ C,72 SAY endpt12 @ C,106 SAY endpt22 @ C,143 SAY spec2 STORE C+1 TO C @ C,2 SAY subcat3 @ C.36 SAY endpt3 @ C,72 SAY endpt13 @ C,106 SAY endpt23 @ C,143 SAY spec3 STORE C+1 TO C @ C,2 SAY subcat4 @ C,36 SAY endpt4 € C,72 SAY endpt14 @ C,106 SAY endpt24 @ C,143 SAY spec4 STORE C+1 TO C @ C,2 SAY subcat5 @ C.36 SAY endpt5 @ C,72 SAY endpt15 @ C,106 SAY endpt25 @ C,143 SAY spec5 STORE C+1 TO C @ C,36 SAY endpt6 @ C,72 SAY endpt16 @ C,106 SAY endpt26 @ C.143 SAY spec6 STORE C+1 TO C @ C,36 SAY endpt7 @ C,72 SAY endpt17 @ C,106 SAY endpt27 @ C,143 SAY spec7 STORE C+1 TO C @ C,36 SAY endpt8 @ C,72 SAY endpt18 @ C,106 SAY endpt28 @ C,143 SAY spec8 STORE C+1 TO C

ELFSTAN.PRG STANDARD REPORT PROGRAM (page 3 of 3)

```
@ C,36 SAY endpt9
@ C,72 SAY endpt19
@ C,106 SAY endpt29
@ C,143 SAY spec9
STORE C+1 TO C
€ C,36 SAY endpt10
@ C,72 SAY endpt20
@ C,106 SAY endpt30
@ C,143 SAY spec10
STORE C+1 TO C
@ C.1 SAY
STORE C+1 TO C
SKIP
IF EOF()
EJECT
SET PRINT OFF
SET DEVICE TO SCREEN
RETURN
ENDIF
ENDDO
STORE VAL (PG) TO VALPG
STORE VALPG+1 TO VALPG
STORE STR (VALPG, 5) TO PG
ENDDC
EJECT
SET PRINT OFF
SET DEVICE TO SCREEN
RETURN
```

ELFDISP.PRG RECORD DISPLAY PROGRAM

This program displays the following fields on

the screen: Index number, language, author, date, title, and subject categories. * 7/10/85 lmk SET DEVICE TO SCREEN GOTO TOP DO WHILE .NOT.EOF() CLEAR @ 1,1 SAY "INDEX NUMBER :" @ 1,16 GET elfnum @ 1,40 SAY "ABSTRACT :" @ 1,52 GET abs1 @ 3,1 SAY "PUBLICATION DATE :" @ 3,20 GET date @ 3,45 SAY "LANGUAGE:" @ 3,55 GET lang @ 5,1 SAY "TITLE :" @ 5,9 GET title @ 10,1 SAY "AUTHOR :" @ 10,10 GET author @ 15,1 SAY "SOURCE :" @ 15,10 GET source @ 20,1 SAY "SUBCAT1" @ 20,9 GET subcat1 @ 20,40 SAY "SUBCAT4" @ 20,50 GET subcat4 @ 21,1 SAY "SUBCAT2" @ 21,9 GET subcat2 @ 21,40 SAY "SUBCAT5" @ 21,50 GET subcat5 @ 22,1 SAY "SUBCAT3" @ 22,9 GET subcat3 SKIP WAIT TO continue ENDDO

* ELFDISF.FRG

RETURN

END

FILMED

2-86

DTIC